


FORM PTO-1449

U.S. Dept. of Commerce
Patent and Trademark OfficeAtty Docket No.
P0960R1D1C2Serial No.
09/579,933

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant
Goeddel et al.Filing Date
26 May 2000Group
1641 1648

U.S. PATENT DOCUMENTS

Examiner Initials		Document Number	Date	Name	Class	Subclass	Filing Date
LD	* 1	4,861,587	29.08.89	Urbaschek et al.			14.04.87
	2	5,789,550	04.08.98	Goeddel et al.			
	3	6,004,553	21.12.99	Goeddel et al.			
	4	6,060,303	09.05.00	Goeddel et al.			
	5	6,063,585	16.05.00	Goeddel et al.			

RECEIVED
SEP 05 2001
TECH CENTER 1600/2900

FOREIGN PATENT DOCUMENTS

Examiner Initials		Document Number	Date	Country	Class	Subclass	Translation
LD	* 6	417,563	20.03.91	EPO (ENGLISH ABSTRACT ATTACHED)			Yes No
LD	* 7	418,014	20.03.91	EPO			Yes No

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

LD	* 8	Ausubel et al., "Introduction of DNA into Mammalian Cells" <u>Current Protocols in Molecular Biology</u> 1:9.11-9.1.4 (1990)					
	* 9	Berg, J., "Zinc Fingers and Other Metal-Binding Domains" <u>Journal of Biological Chemistry</u> 265(12):6513-6516 (1990)					
	*10	Beutler, B. and Cerami, A., "Tumor necrosis, cachexia, shock, and inflammation: a common mediator" <u>Ann. Rev. Biochem.</u> 57:505-518 (1988)					
	*11	Blake et al., "The sequences of the human and mouse c-cbl proto-oncogenes show v-cbl was generated by a large truncation encompassing a proline-rich domain and a leucine zipper-like motif" <u>Oncogene</u> 6:653-657 (1991)					
	*12	Brockhaus et al., "Identification of two types of tumor necrosis factor receptors on human cell lines by monoclonal antibodies" <u>Proc. Natl. Acad. Sci. USA</u> 87:3127-3131 (1990)					
	*13	Chan et al., "Molecular definition and sequence motifs of the 52-kD component of human SS-A/Ro Autoantigen" <u>J. Clin. Invest.</u> 87:68-76 (1991)					
	*14	Cheng and Baltimore, "TANK, a co-inducer with TRAF2 of TNF- and CD40L-mediated NF-kB activation" <u>Genes & Development</u> 10:963-973 (1996)					
	*15	Cheng et al., "Involvement of CRAF1, a relative of TRAF, in CD40 signaling" <u>Science</u> 267(8):1494-1498 (1995)					
	*16	Chevray et al., "Protein interaction cloning in yeast: identification of mammalian proteins that react with the Leucine Zipper of Jun" <u>Proc. Natl. Acad. Sci. USA</u> 89:5789-5793 (1992)					
	*17	Chien et al., "The Two-Hybrid System: A method to identify and clone genes for proteins that interact with a protein of interest" <u>Proc. Natl. Acad. Sci. USA</u> 88:9578-9582 (1991)					
	*18	<u>Clontech Catalog</u> pps. 19, 192-194 (1994)					
	*19	Deng et al., "COPI1, an arabidopsis regulatory gene, encodes a protein with both a zinc-binding motif and a G, homologous domain" <u>Cell</u> 71:791-801 (1992)					
	*20	Driscoll and Williams, "Two divergently transcribed genes of dictyostelium discoideum are cyclic AMP-inducible and coregulated during development" <u>Molecular & Cellular Biology</u> 7(12):4482-4489 (1987)					

Examiner

Date Considered

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

U.S. Dept. of Commerce
RECEIVED
Patent and Trademark Office

Atty Docket No.

P0960R1D1C2

Serial No.

09/579,933

Applicant

Goeddel et al.

Filing Date

26 May 2000

Group

1641

1648

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

SEP 05 2001

TECH CENTER 1600/2900

25 2000

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

21	EMBL Sequence Database Accession No. U51907 (March 20, 1996)
22	Engelmann et al., "Antibodies to a Soluble Form of a Tumor Necrosis Factor (TNF) Receptor Have TNF-like Activity" <u>Journal of Biological Chemistry</u> 265(24):14497-14504 (1990)
23	Espevik et al., "Characterization of binding and biological effects of monoclonal antibodies against a human tumor necrosis factor receptor" <u>Journal of Experimental Medicine</u> 171:415-426 (1990)
24	Fields and Song, "A novel genetic system to detect protein-protein interactions" <u>Nature</u> 340:245-246 (1989)
25	Fiers, W., "Tumor necrosis factor characterization at the molecular, cellular and In Vivo level" <u>FEBS Letters</u> 285(2):199-212 (1991)
26	Freemont et al., "A novel cysteine-rich sequence motif" <u>Cell</u> 64:483-484 (1991)
27	Genethon, "EMBL Sequence Database" Accession No. Z43715 XP002018922 (November 6, 1994)
28	Goeddel et al., "Tumor Necrosis Factors: Gene Structure and Biological Activities" <u>Cold Spring Harbor Symposia on Quantitative Biology</u> LI:597-609 (1986)
29	Goodwin et al., "Molecular cloning and expression of the type 1 and type 2 murine receptors for tumor necrosis factor" <u>Molecular & Cellular Biology</u> 11:3020-3026 (1991)
30	Gray et al., "Cloning and Expression of cDNA for Human Lymphotoxin, a Lymphokine with Tumour Necrosis Activity" <u>Nature</u> 312:721-724 (1984)
31	Haupt et al., "Novel zinc finger gene implicated as myc collaborator by retrovirally accelerated lymphomagenesis in Eμ-myc transgenic mice" <u>Cell</u> 65:753-763 (1991)
32	Hohmann et al., "Expression of the types A and B tumor necrosis factor (TNF) receptors is independently regulated, and both receptors mediate activation of the transcription factor NF-κB" <u>Journal of Biological Chemistry</u> 265:22409-22417 (1990)
33	Hohmann et al., "Two different cell types have different major receptors for human tumor necrosis factor (TNFα)" <u>Journal of Biological Chemistry</u> 264(25):14927-14934 (1989)
34	Hoog, C. <u>Nucleic Acids Research</u> 19:6123-27 (1991)
35	Hoog, C., "Sequence Listing 1" EMBL Sequence Database Accession No. X61807 (September 4, 1991)
36	Hsu et al., "The TNF receptor 1-associated protein TRADD signals cell death and NF-κB activation" <u>Cell</u> 81:495-504 (1995)
37	Hu et al., "A novel RING finger protein interacts with the cytoplasmic domain of CD40" <u>Journal of Biological Chemistry</u> 269(48):30069-30072 (1994)
38	Inoue et al., "Genomic binding-site cloning reveals an estrogen-responsive gene that encodes a ring finger protein" <u>Proc. Natl. Acad. Sci. USA</u> 90:11117-11121 (1993)
39	Inui et al., "Identification of the intracytoplasmic region essential for signal transduction through a B cell activation molecule, CD40" <u>European Journal of Immunology</u> 20:1747-1753 (1990)
40	Itoh et al., "Protein heterogeneity in the human Ro/SSA ribonucleoproteins" <u>J. Clin. Invest.</u> 87:177-186 (1991)

Examiner

Date Considered

9/29/01

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

RECEIVED

U.S. Dept. of Commerce
Patent and Trademark Office
SEP 25 2000

Atty Docket No.

P0960R1D1C2

Serial No.

09/578,833

Applicant

Goeddel et al.

Filing Date

26 May 2000

Group

1641

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

TECH CENTER 1600/2900

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

40	*41	Jones et al., "The saccharomyces cerevisiae RAD18 gene encodes a protein that contains potential zinc finger domains for nucleic acid binding and a putative nucleotide binding sequence" <u>Nucl. Acids Res.</u> 16(14):7119-7131 (1988)
	*42	Kohn et al., "A second tumor necrosis factor receptor gene product can shed a naturally occurring tumor necrosis factor inhibitor" <u>Proc. Natl. Acad. Sci. USA</u> 87:8331-8335 (1990)
	*43	Laegreid et al., "Tumor necrosis factor receptor p75 mediates cell-specific activation of nuclear factor kB and induction of human cytomegalovirus enhancer" <u>Journal of Biological Chemistry</u> 269:7785-7791 (1994)
	*44	Laherty et al., "The Epstein-Barr virus LMP1 gene product induces A20 zinc finger protein expression by activating nuclear factor kB" <u>Journal of Biological Chemistry</u> 267:24157 (1992)
	*45	Landschulz et al., "The leucine zipper: a hypothetical structure common to a new class of DNA binding proteins" <u>Science</u> 204:1759-1764 (1988)
	*46	Lenardo and Baltimore, "NF-kB: A pleiotropic mediator of inducible and tissue-specific gene control" <u>Cell</u> 58:227-229 (1989)
	*47	Lewis et al., "Cloning and expression of cDNAs for two distinct murine tumor necrosis factor receptors demonstrate one receptor is species specific" <u>Proc. Natl. Acad. Sci. USA</u> 88:2830-2834 (1991)
	*48	Liou and Baltimore, "Regulation of the NF-kB/rel transcription factor and 1kB inhibitor system" <u>Curr. Opin. Cell Biol.</u> 5:477-487 (1993)
	*49	Loetscher et al., "Molecular Cloning and Expression of the Human 55 kd Tumor Necrosis Factor Receptor" <u>Cell</u> 61:351-359 (April 20, 1990)
	*50	Mardon and Page, "The sex-determining region of the mouse Y chromosome encodes a protein with a highly acidic domain and 13 zinc fingers" <u>Cell</u> 56:765-770 (1989)
	*51	Miller et al., "Repetitive zinc-binding domains in the protein transcription factor IIIA from Xenopus Oocytes" <u>EMBO Journal</u> 4(6):1609-1614 (1985)
	*52	Miyatake et al., "Structure of the chromosomal gene for granulocyte-macrophage colony stimulating factor: comparison of the mouse and human genes" <u>EMBO Journal</u> 4:2561-2568 (1985)
	*53	Mosialos et al., "The Epstein-Barr virus transforming protein LMP1 engages signaling proteins for the tumor necrosis factor receptor family" <u>Cell</u> 80:389-399 (1995)
	*54	Naume, B. et al., "Involvement of the 55- and 75-kDa tumor necrosis factor receptors in the generation of lymphokine-activated killer cell activity and proliferation of natural killer cells" <u>J. Immunol.</u> 146:3035-3048 (1991)
	*55	Neta et al., "Comparison of the In Vivo effects of rIL-1 and rTNF in radioprotection, induction of CSF and of acute phase reactants" <u>Fed. Proc.</u> (Abstract) 46(4):1200 (1987)
	*56	Neta et al., "Interdependence of the radioprotective effects of human recombinant interleukin 1α, tumor necrosis factor α, granulocyte colony-stimulating factor, and murine recombinant granulocyte-macrophage colony-stimulating factor" <u>J. Immunol.</u> 140(1):108-111 (1988)
	*57	Neta et al., "Interleukin 1 is a radioprotector" <u>J. Immunol.</u> 136(7):2483-2485 (April 1, 1986)
	*58	Nietfeld et al., "Second-order repeats in xenopus laevis finger proteins" <u>J. Mol. Biol.</u> 208:639-659 (1989)
	*59	Nophar et al., "Soluble forms of tumor necrosis factor receptors (TNF-Rs). The cDNA for the type I TNF-R, cloned using amino acid sequence data of its soluble form, encodes both the cell surface and a soluble form of the receptor" <u>EMBO Journal</u> 9:3269-3278 (1990)
	*60	Old, L.J., "Tumor Necrosis Factor" <u>Sci. Am.</u> 258(5):59-75 (1988)

Examiner

Date Considered

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

U.S. Dept. of Commerce
Patent and Trademark Office

Atty Docket No.

P0960R1D1C2

Serial No.

09/579,933

Applicant

Goeddel et al.

Filing Date

26 May 2000

Group

~~1641~~ 1648

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

50	*61	Opipari et al., "The A20 cDNA induced by tumor necrosis factor α encodes a Novel type of zinc finger protein" <u>Journal of Biological Chemistry</u> 265:14705-14708 (1990)
	*62	Patarca et al., "rpt-1, an intracellular protein from helper/inducer T cells that regulates gene expression of interleukin 2 receptor and human immunodeficiency virus type 1" <u>Proc. Natl. Acad. Sci. USA</u> 85:2733-2737 (1988)
	*63	Pennica et al., "Human Tumour Necrosis Factor: Precursor Structure, Expression and Homology to Lymphotoxin" <u>Nature</u> 312:724-729 (1984)
	*64	Pharmacia Catalog pps. 133, 142-143 (1994)
	*65	Reddy et al., "A novel zinc finger coiled-coil domain in a family of nuclear proteins" <u>Trends Biochem. Sci.</u> 17:344-345 (1992)
	*66	Rothe et al., "A novel family of putative signal transducers associated with the cytoplasmic domain of the 75 kDA tumor necrosis factor receptor" <u>Cell</u> 78:681-692 (1994)
	*67	Rothe et al., "I-TRAF is a novel TRAF-interacting protein that regulates TRAF-mediated signal transduction [C [C [C] <u>Proceedings of the National Academy of Sciences</u> 93(16):8241-8246 (1996)
	*68	Rothe et al., "The TNFR2-TRAF signaling complex contains two novel proteins related to baculoviral inhibitor of apoptosis proteins" <u>Cell</u> 83(7):1243-1252 (1995)
	*69	Rowe et al., "Upregulation of bcl-2 by the Epstein-Barr virus latent membrane protein LMP1: a B-cell-specific response that is delayed relative to NF-kB activation and to induction of cell surface markers" <u>Journal of Virology</u> 68:5602 (1994)
	*70	Ruiz i Altaba et al., "Xfin: an embryonic gene encoding a multifingered protein in Xenopus" <u>EMBO Journal</u> 6(10):3065-3070 (1987)
	*71	Sambrook et al. <u>Molecular Cloning, A Laboratory Manual</u> Chapter 16:16.3-16.81 (1989)
	*72	Schall et al., "Molecular Cloning and Expression of a Receptor for Human Tumor Necrosis Factor" <u>Cell</u> 61:361-370 (April 20, 1990)
	*73	Schatz et al., "The V(D)J recombination activating gene, RAG-1" <u>Cell</u> 59:1035-1048 (1989)
	*74	Schindler and Baichwal, "Three NF-kB binding sites in the human E-selectin gene required for maximal tumor necrosis factor alpha-induced expression" <u>Molecular & Cellular Biology</u> 14(9):5820-5831 (1994)
	*75	Shalaby et al., "Binding and regulation of cellular functions by monoclonal antibodies against human tumor necrosis factor receptors" <u>Journal of Experimental Medicine</u> 172:1517-1520 (1990)
	*76	Smith and Johnson, "Single-step purification of polypeptides expressed in escherichia coli as fusions with glutathione S-transferase" <u>Gene</u> 67:31-40 (1988)
	*77	Smith et al., "A Receptor for Tumor Necrosis Factor Defines an Unusual Family of Cellular and Viral Proteins" <u>Science</u> 248:1019-1023 (May 25, 1990)
	*78	Smith et al., "The TNF receptor superfamily of cellular and viral proteins: activation, costimulation, and death" <u>Cell</u> 76:959-962 (1994)
	*79	Song et al., "The tumor necrosis factor-inducible zinc finger protein A20 interacts with TRAF1/TRAF2 and inhibits NF-kappaB activation" <u>Proceedings of the National Academy of Sciences</u> 93(13):6721-6725 (1996)
	*80	Stanley et al., "The structure and expression of the murine gene encoding granulocyte-macrophage colony stimulating factor: evidence for utilisation of alternative promoters" <u>EMBO Journal</u> 4:2569-2573 (1985)

Examiner

C. J. A. S.

Date Considered

9/29/01

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

U.S. Dept. of Commerce
Patent and Trademark Office

Atty Docket No.

P0960R1D1C2

Serial No.

09/578,933

LIST OF DISCLOSURES CITED BY APPLICANT
SERIALIZED 1 2000

(Use several sheets if necessary)

Applicant

Goeddel et al.

Filing Date

26 May 2000

Group

1641

1648

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

*81	Takahashi et al., "Developmentally regulated expression of a human "finger"-containing gene encoded by the 5' half of the ret transforming gene" <u>Molecular & Cellular Biology</u> 8(4):1853-1856 (1988)
*82	Tartaglia and Goeddel, "Two TNF receptors" <u>Immunology Today</u> 13:151-153 (1992)
*83	Tartaglia et al., "Stimulation of human T-cell proliferation by specific activation of the 85-kDa tumor necrosis factor receptor" <u>Proc. Natl. Acad. Sci. USA</u> 151:4637-4641 (1993)
*84	Tartaglia et al., "The two different receptors for tumor necrosis factor mediate distinct cellular responses" <u>Proc. Natl. Acad. Sci. USA</u> 88:9292-9296 (1991)
*85	Thanos and Maniatis, "NF-kB: A lesson in family values" <u>Cell</u> 80:529-532 (1995)
*86	Tomita et al., "The neurospora uvs-2 gene encodes a protein which has homology to yeast RAD18, with unique zinc finger motifs" <u>Mol. Gen. Genet.</u> 238:225-233 (1993)
*87	Urbaschek et al., "Tumor necrosis factor induced stimulation of granulopoiesis and radioprotection" <u>Lymphokine Research</u> 6(3):179-186 (1987)
*88	Vinson et al., "Scissors-grip model for DNA recognition by a family of leucine zipper proteins" <u>Science</u> 246:911-916 (1989)
*89	Wiegmann et al., "Human 55-kDa receptor for tumor necrosis factor coupled to signal transduction cascades" <u>Journal of Biological Chemistry</u> 267:17997-18001 (1992)

RECEIVED

SEP 05 2001

TECH CENTER 1600/2900

Examiner

L. A. S. 82

Date Considered

9/29/01

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.